

***Curcuma longa*: A review of therapeutic effects in traditional and modern medical references**

Azam Rezvanirad, Mahnaz Mardani², Hedayatollah Shirzad^{3*}, Seyyed Mohammad Ahmadzadeh⁴, Sedigheh Asgary⁵, Azar Naimi⁶, Ghafar Mahmoudi⁷

¹Food and Drug Laboratory Research Center, Food and Drug Organization MOH & ME, Tehran, Iran

²Department of Health and Nutrition, Lorestan University of Medical Sciences, Khorramabad, Iran

³Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran

⁴Dezful University of Medical Sciences, Dezful, Iran

⁵Isfahan Cardiovascular Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, Iran

⁶Pathologist and Technical Manager of Pediatric Imam Hossein Hospital laboratory, Isfahan University of Medical Sciences, Isfahan, Iran

⁷Faculty of Medicine, Department of Internal Medicine, School of Medicine, Lorestan University of Medical Sciences, Khorramabad, Iran

*Corresponding author: E-Mail: shirzadeh@yahoo.com @yahoo.com

ABSTRACT

Turmeric with scientific name of *Curcuma longa* is a perennial and herbaceous plant from family Zingiberaceae that grows in East Asia, such as China, and India. Ample evidence from previous studies indicates that *C. longa* is effective on many diseases including diabetes, Alzheimer's disease, rheumatoid arthritis, and cancer. It also has hepatoprotective, gastrointestinal tract and cardiovascular system protective effects, and may stimulate immune system. Because *C. longa* contains antioxidant compounds such as curcumin, zingibran, alpha and beta-turmerin, arabinose, fructose, glucose, starch and desmetoxicurcumin. The therapeutic effects that have already been confirmed in with animal and human studies can be attributed to these compounds. Therefore, the effective compounds of *C. longa* on the above diseases should be investigated in clinical trials. This may help to produce effective and strong drugs to treat these diseases. This article was aimed to summarize and present the therapeutic effects of *Curcuma longa* in traditional and modern medical references.

KEY WORDS: *Curcuma longa*, curcumin, diseases.

1. INTRODUCTION

More than 80% of world population use traditional medicine, especially herbal medicines, to treat or prevent their diseases. These plants have been shown promising effects in various diseases (Mervat Sh Sadak, 2016; Bahmani, 2012, 2014, 2015; Bahaa, 2016; Kh, 2015; Yasser, 2015; Fitri, 2016; Gad and Abdel-Moez, 2015; Khaled, 2016; Kartini Zailanie, 2015; Helmina Br. Sembiring, 2015; Rafieian-kopaei, 2013; Azadmehr, 2011; Mardani, 2014; Setorki, 2013; Akhlaghi, 2011; Alibabaei, 2014; Baradaran, 2012; Moradi, 2013; Rabiei, 2013, 2014; Sarrafchi, 2016; Shayganni, 2015). Nutraceuticals and medicinal plants other than nutritional role have beneficial effects in health (Rabiei, 2014; Bahmani, 2015; Parsaei, 2016; Mohsenzadeh 2016; Jivad, 2016; Parsaei, 2016; Samarghandian, 2016; Mohsenzadeh, 2016; Rahimian, 2013; Rahnama, 2015). Nowadays, nutraceutical and plant researches have been focused for preparation of new drugs and protection of bodies (Nasri, 2015; Rafieian-Kopaei, 2011; Rafieian-Kopaei, 2014; Mirhosseini, 2014; Khosravi-Boroujeni, 2012; Madihi, 2013). The knowledge about medicinal plants has been accumulated over thousands of years and it has been shown that a lot of nutraceuticals are present in herbal medicines as key components which act on diseases (Sewell and Setorki Rafieian-Kopaei, 2014; Setorki, 2011; Nasri, 2013; Kafash-Farkhad, 2013; Asadi, 2013; Parsaei, 2013; Amirmohammadi, 2013; Bahmani, 2014; Bahmani, 2014; Sharafati, 2011; Roohafza, 2013; Bahmani, 2013, 2014). A great attention is nowadays given to discover the link between dietary nutrients or medicinal plants and disease prevention (Rafieian-Kopaei, 2013). Large number of medicinal plants which had been in use since ancient time play a crucial role in the prevention and treatment of diseases (Asadi, 2013; Parsaei, 2013; Amirmohammadi, 2013; Sharafati, 2011; Roohafza, 2013; Bahmani, 2013, 2014). Turmeric or *Curcuma longa* is one of these plants which is a rhizomatous, perennial and herbaceous plant from family Zingiberaceae (ginger). It occurs in East Asia, such as China, and India. *C. longa* is one of the native plants of South Asia which is used as a food additive. It is called Zardchoubeh in Persian and Haldi in Indian (Nasri, 2014). *C. longa* rhizome contains 3-5 yellow-colored pigments from which an effective compound, curcumin, is produced. *C. longa* requires temperature about 25 °C and a considerable annual rainfall for a good thrive (Prasad, 2000) Plant is usually gathered for its rhizomes to prepare a spice. However, it is not usually used freshly and the rhizome is boiled for more than 30 minutes and then is dried in ovens, after which it is ground into powder (Prasad, 2000). One of the most important and active ingredients is curcumin. Most of the turmeric is prepared in India. It has been prepared and used in various countries, especially in Asia for thousands of years. Curcumin was initially used as a dye, however, it was later consumed for its medicinal and spice properties (Priyadarsini, 2014).

Curcuminoids including curcumin, bisdemethoxycurcumin and demethoxycurcumin are the most important components of turmeric. Curcumin is the best-studied and the most important component of turmeric and constitutes more than 3% of the turmeric powder. Other important components of volatile oils of turmeric include turmerone, atlantone, and zingiberene sugars, proteins, and resins. Notably, big variation exists in curcumin content of turmeric in different *Curcuma longa* (Turmeric processing, 2013; Chattopadhyay, 2004).

Turmeric has been traditionally used to treat a wide variety of disorders including indigestive and liver ailments disorders, throat infections, common colds, wound and skin sores (Aqili Khorasani, 1992).

It has high antioxidant activity and is used for cancer, rheumatoid arthritis, degenerative diseases, diabetes, cardiovascular disease, Alzheimer's disease, immune and liver disorders (Nasri, 2014).

This article was aimed to summarize and present the therapeutic effects of *Curcuma longa* in traditional and modern medical references.

Therapeutic effects of *C. longa*: Therapeutic effects of *C. longa* according to traditional medical references are summarized in table 1.

Table.1. Traditional therapeutic effects of *Curcuma longa*

Traditional effects of <i>C. longa</i>	Hepatic vasodilator and contributor to treating ascites and jaundice (Aqili Khorasani, 1992).
	Placing its powder on wound makes the wound dried and removes pain and swelling (Aqili Khorasani, 1992).
	Placing its powder on tooth relieves toothache (Aqili Khorasani, 1992).
	Rubbing it relieves joint pain and removes swelling (Aqili Khorasani, 1992).
	Its rhizome powder is used to treat roundworm (Sharma, 2005).
	Its rhizome powder is used to treat diarrhea (Ghazanfar, 1994; Kapoor, 1990).
	Its powdered rhizome is used to treat ague (Moken, 1984; Satoskar, 1986).
	Its powdered rhizome is used to treat liver disease (Ghazanfar, 1994; Kapoor, 1990; Moken, 1984; Satoskar, 1986).
	Its powdered rhizome ID used to treat stomach disease (Ghazanfar, 1994; Kapoor, 1990; Moken, 1984; Satoskar, 1986).
	Its powdered rhizome is used to treat urinary tract infections (Ghazanfar, 1994; Kapoor, 1990).
	Its powdered rhizome is used to treat white spots on the body (Ghazanfar, 1994; Kapoor, 1990; Moken, 1984; Satoskar, 1986).
	Its powdered rhizome is used to treat menstrual problems (Antony, 1991; Moken, 1984).
	Its powdered rhizome is used to treat intestinal colic (Kapoor, 1990).
Its powdered rhizome is used to treat skin disorders (Ghazanfar, 1994; Kapoor, 1990; Moken, 1984).	

Pharmacological and therapeutic effects of *C. longa*: It has already been confirmed that *C. longa* is therapeutically effective on many diseases including diabetes, Alzheimer's disease, rheumatoid arthritis, and cancer, has hepatoprotective effects, affects gastrointestinal tract and cardiovascular system, and can strengthen immunity system. (Table 2)

<i>C. longa</i> effects on immunity system	A study demonstrated that <i>C. longa</i> caused increase in the phagocytosis activity of macrophages, which contributed to improving Alzheimer's disease through increasing phagocytosis activity and inhibiting accumulation of amyloid (Satoskar, 1986; Antony, 1999). <i>C. longa</i> caused inhibition of producing proinflammatory cytokines through macrophages and lymphocytes (Gautam, 2007).
<i>C. longa</i> effects on cardiovascular system	In a study on 10 healthy volunteers, intake of 500 g <i>C. longa</i> a day for seven days caused oxLDL concentration to decrease by 33%, total cholesterol to decrease by 11%, and HDL-c to increase by 29% (Quiles, 1998). <i>C. longa</i> inhibits oxLDL and accumulates platelets which are effective agents of developing atherosclerotic plaques (Soni, 1992).
Hepatoprotective effects of <i>C. longa</i>	A study demonstrated that administration of rats with <i>C. longa</i> caused increase in the concentrations of catalase, superoxide dismutase, and glutathione peroxidase in liver, which protects liver against the damage due to increased lipids and ox-LDL (Reddy, 1994; Soni, 1997). <i>C. longa</i> can protect liver against various toxins such as pentobarbital, acetaminophen, thiostamide, carbon tetrachloride, galactosamine, and aflatoxin (Deshpande, 1998; Piper, 1998; Soni, 1992).
Effect of <i>C. longa</i> on cancer	A clinical work demonstrated that prescription of 8 and 10 g <i>C. longa</i> a day exerted considerable therapeutic effects on primary prostate cancer (Cheng, 2001), and

	prescription of 150 mg <i>C. longa</i> a day improved pancreatic cancer considerably (Teiten, 2009).
Effects of <i>C. longa</i> on gastrointestinal problems	A clinical study indicated that administration of 116 patients with dyspepsia with 500 mg <i>C. longa</i> caused a significant improvement of dyspepsia (Dhillon, 2008). Besides that, another clinical study of 10 patients with gastric ulcer demonstrated that prescription of one g <i>C. longa</i> a day caused improvement of gastric ulcer (Thamlikitkul, 1989).
Effect of <i>C. longa</i> on diabetes	A study demonstrated that <i>C. longa</i> administration caused inhibition of glucose production in hepatic cells and treatment of diabetes (Prucksunand, 1989; Nishiyama, 2005). Another work showed that administration of diabetic rats with cucamin, an effective compound of <i>C. longa</i> , caused decrease in glycemia and glycosilated hemoglobin (Fujiwara, 2008).
<i>C. longa</i> effects on Alzheimer's disease	Some investigations have demonstrated that <i>C. longa</i> exerted anti-inflammatory effects and contributed to regulating immunity system and preventing cell damage process in Alzheimer's disease patients (Arun, 2002; Kim, 2005; Frautschy and Hu, 2001; Ringman, 2005).
<i>C. longa</i> effects on rheumatoid arthritis	Administration of 1200 mg <i>C. longa</i> a day caused improvement of morning stiffness, walking duration, and relief of joint pain and swelling compared to phenylbutazone (30 mg) (Deodhar, 1980; Satoskar, 2005).

Phytochemical analysis of *C. longa* and its effective compounds: Phytochemical investigations indicated that *C. longa* contained curcumin, zingibran, alpha and beta-turmerin, arabinose, fructose, glucose and starch, desmetoxicurcumin, and bisdesmetoxy (Leung, 1980; Ammon and Wahl, 1991; Boon and Wong, 2004).

2. CONCLUSION

Medicinal plants contain bioactive and pharmaceutically effective compounds, antioxidants, flavons, flavonoids, phenols, anthocyanins, and tannins (Amirmohammadi, 2014; Eftekhari, 2012; Bahmani, 2012, 2013, 2014, 2015, Gholami-Ahangaran, 2012; Forouzan, 2012; Gholami-Ahangaran, 2012, 2013; Delfan, 2014, 2015; Asadi-Samani, 2014; Delfan, 2014; Saki, 2014; Asadbeigi, 2014; Karamati, 2014). Many of the pharmaceutical effects of these plants are due to the pharmaceutically bioactive compounds (Bahmani, 2013, 2014, 2015, Delfan, 2014; Ebrahimie, 2015).

Ample evidence from previous studies indicates that *C. longa* is effective on many diseases including diabetes, Alzheimer's disease, rheumatoid arthritis, and cancer, has hepatoprotective effects, affects gastrointestinal tract and cardiovascular system, and may strengthen immunity system. Because *C. longa* contains antioxidant compounds such as curcumin, zingibran, alpha and beta-turmerin, arabinose, fructose, glucose, starch, desmetoxicurcumin, and bisdesmetoxy, the therapeutic effects that have already been confirmed in studies with animals and humans can be attributed to these compounds.

Turmeric has high level of antioxidant activity which is able to combat the oxidative stress. Oxidative stress induced by free radicals is able to impose various diseases (Nasri, 2013).

Free radicals are atoms or group of atoms that have unpaired electron(s) and are highly reactive. Free radicals are from the environment or are formed through natural human physiology. There are numerous types of free radicals. They might be the result of smoking, alcohol consumption, inflammation, drugs, exercise, exposure to air pollutants and sunlight (Baradaran, 2014; Nasri, 2014; Samarghandian, 2014, 2015; Moghaddam, 2015, 2016; Rafieian-Kopaei, 2013; Karagiorgou, 2016).

Oxidative stress is involved in numerous complications including process of aging, certain cancers, anthersclerosis, and particularly in inflammatory diseases including arthritis, vasculitis, nephritis, intestinal ischemia, lupus erythematosus, respiratory diseases, ischemic diseases, and stroke, hemochromatosis, gastric ulcers, preeclampsia, neurological disorder, especially muscular dystrophy, Parkinson's disease and Alzheimer's disease and many other complications (Nasri, 2013, 2014; Baradaran, 2014; Rafieian-Kopaei, 2014; Baradaran, 2013; Karimi, 2015; Farkhondeh, 2015; Samarghandian, 2010, 2011, 2012, 2013, 2015, 2016; Farkhondeh, 2013, 2015; Hajzadeh, 2011, 2012; Samini, 2013). It has been suggested that free radicals have negative effect and antioxidant positive effects on various diseases and life span. Therefore, turmeric which has a high level of antioxidant activity has its positive effects, at least in part, through its antioxidant activity.

REFERENCES

Akhlaghi M, Shabani Gh, Rafieian-Koupaei M, Parvin N, Saadat M, Akhlaghi M. Citrus aurantium Blossom and Preoperative Anxiety. Revista Brasileira de Anestesiologia, 61(6), 2011,702-712.

Alibabaei Z, Rabiei Z, Rahnama S, Mokhtari S, Rafieian-kopaei M. Matricaria Chamomilla extract demonstrates antioxidant properties against elevated rat brain oxidative status induced by amnestic dose of scopolamine. *Biomedicine & Aging Pathology*. 2014.

Amirmohammadi M, Khajoenia SH, Bahmani M, Rafieian-Kopaei M, Eftekhari Z, Qorbani M. In vivo evaluation of antiparasitic effects of Artemisia abrotanum and Salvia officinalis extracts on Syphacia obvelata, Aspiculuris tetrapetra and Hymenolepis nana parasites. *Asian Pac J Trop Dis*, 4(1), 2014, 250-254.

Ammon HPT, Wahl MA. Pharmacology of *Curcuma longa*. *Planta Medica*, 57, 1991, 1 - 7.

Antony S, Kuttan R, Kuttan G. Immunomodulatory activity of curcumin. *Immunol. Inves*, 28, 1999, 291 - 303.

Aqili Khorasani MH. *Makhzan-al-adviah*. 2nd ed. EnqLab slami Press. Tehran Iran, 1992, 601-2.

Arun N, Nalini N. Efficacy of turmeric on blood sugar and polyol pathway in diabetic albinorats. *Plant Foods Hum. Nutr*, 57(1), 2002, 41 - 52.

Asadbeigi M, Mohammadi T, Rafieian-Kopaei M, Saki K, Bahmani M, Delfan B. Traditional effects of medicinal plants in the treatment of respiratory diseases and disorders, an ethnobotanical study in the Urmia. *Asian Pac J Trop Med*, 7(1), 2014, S364-S368

Asadi SY, Parsaei P, Karimi M, Ezzati S, Zamiri A, Mohammadzadeh F, Rafieian-Kopaei M. Effect of green tea (*Camellia sinensis*) extract on healing process of surgical wounds in rat. *Int J Surg*, 11(4), 2013, 332-7.

Asadi-Samani M, Bahmani M, Rafieian-Kopaei M. The chemical composition, botanical characteristic and biological activities of *Borago officinalis*, a review. *Asian Pac J Trop Med*, 7(1), 2014, 22-28.

Azadmehr A, Hajiaghache R, Afshari A, Amirghofran Z, Rafieian-Kopaei M, Yousofi H, Darani and Hedayatollah Shirzad. Evaluation of in vivo immune response activity and in vitro anti-cancer effect by *Scrophularia megalantha*. *J Med Plants Res*, 5(11), 2011, 2365–2368.

Bahaa El-Din Mekki, Hebat-Allah Hussien, Hanaa Salem, Role of Glutathione, Ascorbic Acid and α -Tocopherol in Alleviation of Drought Stress in Cotton Plants, *International Journal of ChemTech Research*, 8(4), 2016, 1573-1581.

Bahmani M and Banihabib EK. Comparative Assessment of the Anti- Annelida (*Limnatis nilotica*) Activity of Nicotine with Niclosamide. *Global Veterinaria*, 10(2), 2013, 153-157.

Bahmani M, Abbasi J, Mohsenzadegan A, Sadeghian S, Gholami Ahangaran M. *Allium sativum* L, the anti-immature leech (*Limnatis nilotica*) activity compared to Niclosamide. *Comp Clin Pathol*, 22, 2013, 165–168.

Bahmani M, Banihabib EK, Rafieian-Kopaei M and Gholami-Ahangaran M. Comparison of Disinfection Activities of Nicotine with Copper Sulphate in water Containing *Limnatis nilotica*. *Kafkas Univ Vet Fak Derg*, 21 (1), 2015, 9-11.

Bahmani M, Eftekhari Z, Jelodari Z, Saki K, Abdollahi R, Majlesi M, Rafieian-Kopaei M and Rasouli SH. Effect of Iranian herbal medicines in Dysmenorrhea phytotherapy. *Journal of Chemical and Pharmaceutical Research*, 7(2), 2015, 519-526.

Bahmani M, Eftekhari Z, Saki K, Fazeli-Moghadam E, Jelodari M, Rafieian-Kopaei M. Obesity Phytotherapy, Review of Native Herbs Used in Traditional Medicine for Obesity. *J Evid Based Complementary Altern Med*, 2015.

Bahmani M, Eftekhari Z. An ethnoveterinary study of medicinal plants in treatment of diseases and syndromes of herd dog in southern regions of Ilam province, Iran. *Comp Clin Pathol*, 22, 2012, 403-407.

Bahmani M, Farkhondeh T and Sadighara P. The anti-parasitic effects of *Nicotinatabacum* on leeches, *Comp Clin Pathol*, 21(3), 2012, 357-359.

Bahmani M, Forouzan SH, Fazeli-Moghadam E, Rafieian-Kopaei M, Adineh A and Saberianpour SH. Oak (*Quercus branti*), An overview. *Journal of Chemical and Pharmaceutical Research*, 7(1), 2015, 634-639.

Bahmani M, Golshahi H, Mohsenzadegan A, Ghollami- Ahangarani M, Ghasemi E. Comparative assessment of the anti- *Limnatis nilotica* activities of *Zingiber officinale* methanolic extract with levamisole. *Comp Clin Pathol*, 22(4), 2013, 667-670.

Bahmani M, Karamati SA, Banihabib EK, Saki K. Comparison of effect of nicotine and levamisole and ivermectin on mortality of leech. *Asian Pac J Trop Dis*, 4(1), 2014, 477-480.

Bahmani M, Karamati SA, Hassanzadazar H, Forouzan SH, Rafieian-Kopaei M, Kazemi-Ghoshchi B, Asadzadeh J, Kheiri AGh, Ehsan Bahmani E. Ethnobotanic study of medicinal plants in Urmia city, identification and traditional using of antiparasites plants. *Asian Pac J Trop Dis*, 4(2), 2014, 906-910.

Bahmani M, Rafieian M, Baradaran A, Rafieian S, Rafieian-kopaei M. Nephrotoxicity and hepatotoxicity evaluation of *Crocus sativus* stigmas in neonates of nursing mice. *J Nephropathol*, 3(2), 2014, 81-85.

Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Saki K, Karamati SA, Delfan B. A review on most important herbal and synthetic antihelmintic drugs. *Asian Pac J Trop Med*, 7(1), 2014, 29-33.

Bahmani M, Rafieian-Kopaei M, Jeloudari M, Eftekhari Z, Delfan B, Zargarani A, Forouzan SH. A review of the health effects and uses of drugs of plant licorice (*Glycyrrhiza glabra* L.) in Iran. *Asian Pac J Trop Dis*, 4(2), 2014, 847-849.

Bahmani M, Rafieian-Kopaei M, Saki K, Majlesi M, Bahmani F, Bahmani F, Sharifi A, Rasouli SH, Sepahvand R, Abdollahi R, Moghimi-Monfared O and Baharvand S. Identification of medical plants acting on reproductive system disorders, An ethnobotanical study in Urmia, Northwest of Iran. *Journal of Chemical and Pharmaceutical Research*, 7(2), 2015, 493-502.

Bahmani M, Saki K, Asadbeygi M, Adineh A, Saberianpour SH, Rafieian-Kopaei M, Bahmani F and Bahmani E. The effects of nutritional and medicinal mastic herb (*Pistacia atlantica*). *Journal of Chemical and Pharmaceutical Research*, 7(1), 2015, 646-653.

Bahmani M, Saki K, Golshahi H, Rafieian-Kopaei M, Abdali N, Adineh A, Namdari F and Bahmani F. Ethnobotanical and therapeutic uses of camomille. *Journal of Chemical and Pharmaceutical Research*, 7(1), 2015, 640-645.

Bahmani M, Saki K, Rafieian-Kopaei M, Karamati SA, Eftekhari Z, Jelodari M. The most common herbal medicines affecting *Sarcomastigophora* branches, a review study. *Asian Pac J Trop Med*, 7(1), 2014, 14-21.

Bahmani M, Sarrafchi A, Shirzad H, Rafieian-Kopaei M. Autism, Pathophysiology and promising herbal remedies. *Curr Pharm Des*, 22(3), 2016, 277-285.

Bahmani M, Shirzad H, Mirhosseini M, Mesripour A, Rafieian-Kopaei M. A Review on Ethnobotanical and Therapeutic Uses of Fenugreek (*Trigonella foenum-graceum* L.). *J Evid Based Complementary Altern Med*, 2015.

Bahmani M, Shirzad H, Rafieian S, and Rafieian-Kopaei M. *Silybum marianum*, Beyond Hepatoprotection *Journal of Evidence-Based Complementary & Alternative Medicine*, 2015.

Bahmani M, Shirzad HA, Majlesi M, Shahinfard N, Rafieian-Kopaei M. A review study on analgesic applications of Iranian medicinal plants. *Asian Pac J Trop Med*, 7(1), 2014, 43-53.

Bahmani M, Vakili-Saatloo N, Gholami-Ahangaran M, Karamati SA, Khalil-Banihabib E, Hajigholizadeh Gh, A comparison study on the anti-leech effects of onion (*Allium cepa* L) and ginger (*Zingiber officinale*) with levamisole and triclabendazole. *J HerbMed Pharmacol*, 2(1), 2013, 1-3.

Bahmani M, Vakili-Saatloo N, Maghsoudi R, Momtaz H, Saki K, Kazemi-Ghoshchi B, A comparative study on the effect of ethanol extract of wild *Scrophularia deserti* and streptomycin on *Brucella melitensis*. *J HerbMed Pharmacol*, 2(1), 2013, 17-20

Bahmani M, Zargarani A, Rafieian-Kopaei M, Saki M. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus in the Urmia, Northwest Iran. *Asian Pac J Trop Med*, 7(1), 2014, 348-354.

Bahmani M, Zargarani A, Rafieian-Kopaei M. Identification of medicinal plants of Urmia for treatment of gastrointestinal disorders. *Rev Bras Farmacogn*, 24, 2014, 468-480

Bahmani M, Zargarani A, Rafieian-Kopaei M. Identification of medicinal plants of Urmia for treatment of gastrointestinal disorders. *Rev Bras Farmacogn*, 24(4), 2014, 468-48.

Bahmani M, Saki K, Gholami-Ahangaran M, Parsaei P, Mohsenzadegan A, Zia-Jahromi N. Evaluating the anti-leech activity of methanolic extract of *Matricaria chamomilla* L. comparing with Ivermectin, Mebendasole, Praziquantel, Rafoxanide, Febantel and Albendasole. *Middle East J Sci Res*, 12(2), 2012, 260-263.

Bahmani, M, Abbasi, J, Mohsenzadegan, A, Sadeghian, S, Gholami-Ahangaran, M, *Allium sativum* L., the anti-ammature leech (*Limnatis nilotica*) activity compared to Niclosomide. *Comp Clin Path*, 22, 2013, 165-168.

Bahmani, M, Rafieian-Kopaei, M. Medicinal plants and secondary metabolites for leech control . *Asian Pac J Trop Dis*, 4(4), 2014, 315-316

Baradaran A, Nasri H, Nematbakhsh M, Rafieian-Kopaei M. Antioxidant activity and preventive effect of aqueous leaf extract of Aloe Vera on gentamicin-induced nephrotoxicity in male Wistar rats. *Clinica Terapeutica*, 165(1), 2014, 7-11.

Baradaran A, Nasri H, Rafieian-Kopaei M. Comment on, Anti-oxidative stress activity of *Stachys lavandulifolia* aqueous extract in humans. *Cell J*, 15(3), 2013, 272-3.

Baradaran A, Nasri H, Rafieian-Kopaei M. Oxidative stress and hypertension, Possibility of hypertension therapy with antioxidants. *J Res Med Sci*, 19(4), 2014, 358-67.

Baradaran A, Rabiei Z, Rafieian M, Shirzad H. A review study on medicinal plants affecting amnesia through cholinergic system. *Journal of HerbMed Pharmacology*, 1(1), 2012, 3-9.

Boon H, Wong J. Botanical medicine and cancer, a review of the safety and efficacy. *Expert Opin Pharmacother*, 5(12), 2004, 2485 - 501.

Chattopadhyay I, Kaushik B, Uday B, Ranajit KB. Turmeric and curcumin, Biological actions and medicinal applications. *Current Science*, 87(1), 2004, 44–53.

Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS, Ko JY, Lin JT, Lin BR, Ming-Shiang W, Yu HS, Jee SH, Chen GS, Chen TM, Chen CA, Lai MK, Pu YS, Pan MH, Wang YJ, Tsai CC, Hsieh CY. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res*, 21, 2001, 2895 - 900.

Delfan B, Bahmani M, Eftekhari Z, Jelodari M, Saki K, Mohammadi T. Effective herbs on the wound and skin disorders, a ethnobotanical study in Lorestan province, west of Iran. *Asian Pac J Trop Dis*, 4(2), 2014, 938-942.

Delfan B, Bahmani M, Hassanzadazar H, Saki K, Rafieian-Kopaei M, Rashidipour M, Bagheri F and Sharifi A. Ethnobotany study of effective medicinal plants on gastric problems in Lorestan province, West of Iran. *Journal of Chemical and Pharmaceutical Research*, 7(2), 2015, 483-492.

Delfan B, Bahmani M, Hassanzadazar H, Saki K, Rafieian-Kopaei M. Identification of medicinal plants affecting on headaches and migraines in Lorestan Province, West of Iran. *Asian Pac J Trop Med*, 7(1), 2014, 376-379.

Delfan B, Bahmani M, Rafieian-Kopaei M, Delfan M, Saki K. A review study on ethnobotanical study of medicinal plants used in relief of toothache in Lorestan Province, Iran. *Asian Pac J Trop Dis*, 4(2), 2014, 879-884.

Delfan B, Kazemeini HR and Bahmani M. Identifying Effective Medicinal Plants for Cold in Lorestan Province, West of Iran. *Journal of Evidence-Based Complementary & Alternative Medicine*, 2015, 1-7.

Deodhar SD, Sethi R, Srimal RC. Preliminary study on anti-rheumatic activity of curcumin (diferuloyl methane). *Indian J. of Medical Res*, 71, 1980, 632 – 4.

Deshpande UR, Gadre SG, Raste AS. Protective effect of turmeric (*Curcuma longa* L.) extract on carbon tetrachloride-induced liver damage in rats. *Indian J. Exp. Biol*, 36, 1998, 573- 7.

Dhillon N, Aggarwal BB, Newman RA, Wolff RA, Kunnumakkara AB, Abbruzzese JL, Ng CS, Badmaev V, Kurzrock R. Phase II trial of curcumin in patients with advanced pancreatic cancer. *Clin. Cancer Res*, 14, 2008, 4491 - 9.

Ebrahimie M, Bahmani M, Shirzad H, Rafieian-Kopaei M, Saki K. A Review Study on the Effect of Iranian Herbal Medicines on Opioid Withdrawal Syndrome. *J Evid Based Complementary Altern Med*, 20(4), 2015, 302-9.

Eftekhari Z, Bahmani M, Mohsenzadegan A, Gholami-Ahangaran M, Abbasi J, Alighazi N. Evaluating the anti-leech (*Limnatis nilotica*) activity of methanolic extract of *Allium sativum* L. compared with levamisole and metronidazole. *Comp Clin Path*, 21, 2012, 1219-1222.

Farahmand SK, Samini F, Samini M, Samarghandian S. Safranal ameliorates antioxidant enzymes and suppresses lipid peroxidation and nitric oxide formation in aged male rat liver. *Biogerontology*, 14(1), 2013, 63-71.

Farkhondeh T, Samarghandian S, Azimin-Nezhad M, Samini F. Effect of chrysin on nociception in formalin test and serum levels of noradrenalin and corticosterone in rats. *Int J Clin Exp Med*, 15, 8(2), 2015, 2465-70.

Farkhondeh T, Samarghandian S, Samini . Honey and Health, A Review of Recent Clinical Research. *Pharmacognosy Reseach*, 2015.

Farkhondeh T, Samarghandian S, Sadighara P. Lead exposure and asthma, an overview of observational and experimental studies, 34, 2015, 6-10.

Fitri Handajani, Aryati Aryati, Harianto Notopuro, Aulanni'am Aulanni'am, Prophylactic Sargassum duplicatum inhibit joint damage in adjuvant arthritic rats exposed to cold stress through inhibition of NF-KB activation, International Journal of ChemTech Research, 9(1), 2016, 151-159.

Forouzan S, Bahmani M, Parsaei P, Mohsenzadegan A, Gholami- Ahangaran M, Anti-parasitic activities of *Zingiber officinale* methanolic extract on *Limnatisnilotica*. Glob Vet, 9(2), 2012, 144-148.

Frautschy SA, Hu W. Phenolic antiinflammatory antioxidant reversal of b inducedcognitive deficits and neuropathology. Neurobiol.Aging, 22, 2001, 993 - 1005.

Fujiwara H, Hosokawa M, Zhou X, FujimotoS, Fukuda K, Toyoda K, Nishi Y, Fujita Y, Yamada K, Yamada Y, Seino Y, Inagaki N. Curcumin inhibits glucose production in isolatedmice hepatocytes. Diabetes Res. Clin. Pract, 80(2), 2008, 185 - 91.

Gautam SC, Gao X, Dulchavsky S. Immunomodulation by curcumin, Adv. Exp. Med. Biol, 595, 2007, 321 - 41.

Ghasemi Pirbalouti A, Momeni M. and Bahmani M. Ethnobotanical study of medicinal plants used by kurd tribe in dehloran and abdanan districts, ilam province, iran. Afr J Tradit Complement Altern Med, 10(2), 2013, 368-000.

Ghazanfar SA. Handbook of Arabian medicinalplants. Boca Raton, FL, CRC Press, 1994.

Gholami-Ahangaran M, Bahmani M, Zia-Jahrom N. *In vitro* antileech effects of *Vitisvinifera* L, niclosamide and ivermectin on mature and immature forms of leech *Limnatisnilotica*. Glob Vet, 8, 2012, 229-232.

Gholami-Ahangaran M, Bahmani M, Zia-Jahromi N. Comparative and evaluation of anti-leech (*Limnatis Nilotica*) effect of Olive (*Olea Europaea* L.) with levamisol and tiabendazole. Asian Pac J Trop Dis, 2(1), 2012, S101-S103.

Hajzadeh MR, Rajaei Z, Shafiee S, Alavinejhad A, Samarghandian S, Ahmadi M. Effect of Barberry fruit (*Berberis Vulgaris*) on serum glucose and lipids in streptozotocin-diabetic rats. Pharmacology online, 1, 2011, 809-817.

Hajzadeh MRA, Samarghandian s, Davari AS, Abachi M. Comparison of the beneficial effects of guar gum on lipid profile in hyperlipidemic and normal rats. Journal of Medicinal Plants Research, 6(9), 2012, 1567-1575.

Helmina Br. Sembiring, Tonel Barus, Lamek Marpaung, and Partomuan Simanjuntak, International Journal of PharmTech Research, 8(9), 2015, 24-30.

Jivad N, Bahmani M, Asadi-Samani M. A review of the most important medicinal plants effective on wound healing on ethnobotany evidence of Iran. Der Pharm Lettre, 8(2), 2016, 353-7.

Kafash-Farkhad N, Asadi-Samani M, Rafieian-Kopaei M. A review on phytochemistry and pharmacological effects of *Prangos ferulacea* (L.) Lindl. Life Sci J, 10(8s), 2013, 360-367

Kapoor LD. Handbook of Ayurvedic medicinalplants. Boca Raton, FL, CRC Press. 1990.

Karagiorgou I, Grigorakis S, Lalas S, Makris DP. Polyphenolic burden and *in vitro* antioxidant properties of *Moringa oleifera* root extracts. J HerbMed Pharmacol, 5(1), 2016, 33-38.

Karamati SA, Hassanzadazar H, Bahmani M, Rafieian-Kopaei M. Herbal and chemical drugs effective on malaria. *Asian Pac J Trop Dis*, 4(2), 2014, 599-601.

Karimi A, Moradi MT. Total phenolic compounds and *in vitro* antioxidant potential of crude methanol extract and the correspond fractions of *Quercus brantii* L. acorn. J HerbMed Pharmacol, 4(1), 2015, 35-39.

Kartini Zailanie, Hartati Kartikaningsih, Umi Kalsum, Yushinta Aristina Sanjaya(2015), Fucoxanthin Effects of Pure Sargassum filipendula Extract Toward HeLa Cell Damage, International Journal of PharmTech Research, 8(3), 2015, 402-407.

Kh.I. Hashish, Rawia A. Eid, Magda M. Kandil and Azza A.M. Mazher, Study on Various Level of Salinity on Some Morphological and Chemical composition of gladiolus Plants by Foliar Spray with Glutathione and Thiamine, International Journal of ChemTech Research, 8(9), 2015, 334-341.

Khaled F. Mahmoud, Azza A. Amin, Effat I. Seliem, Manal F. Salama(2016), Nano Capsulated Polyphenol Extracted from Oyster Mushroom (*Pleurotus ostreatus*), Characterization and Stability Evaluation, International Journal of PharmTech Research, 9(3), 2016, 103-113.

Khosravi-Boroujeni H, Mohammadifard N, Sarrafzadegan N, Sajjadi F, Maghroun M, Khosravi A, Alikhasi H, Rafieian M, Azadbakht L. Potato consumption and cardiovascular disease risk factors among Iranian population. *Int J Food Sci Nutr*, 63(8), 2012, 913-20.

Kim GY, Kim KH, Lee SH, Yoon MS, Lee HJ, Moon DO. Curcumin inhibits immunostimulatory function of dendritic cells, MAPKs and translocation of NF- κ B as potential targets. *J Immunol*, 174, 2005, 8116 - 24.

Leung A. *Encyclopedia of Common Natural Ingredients Used in Food, Drugs and Cosmetics*. John Wiley & Sons, New York, NY, 1980, 313 -4.

Madihi Y, Merrikhi A, Baradaran A, Ghobadi S, Shahinfard N, Ansari R, Karimi A, Mesripour A, Rafieian-Kopaei M. Bioactive components and the effect of hydroalcoholic extract of *Vaccinium myrtillus* on postprandial atherosclerosis risk factors in rabbits. *Pak J Med Sci*, 29(1), 2013, 384-389

Madihi Y, Merrikhi A, Baradaran A, Rafieian-kopaei M, Shahinfard N, Ansari R, Shirzad H, Mesripour A. Impact of sumac on postprandial high-fat oxidative stress. *Pak J Med Sci*, 29(1), 2013, 340-345.

Mardani S, Nasri H, Hajian S, Ahmadi A, Kazemi R, Rafieian-Kopaei M. Impact of *Momordica charantia* extract on kidney function and structure in mice. *J Nephropathol*, 3(1), 2014, 35-40.

Mervat Sh Sadak, Mitigation of drought stress on Fenugreek plant by foliar application of trehalose(2016), *International Journal of ChemTech Research*, 9(2), 2016, 147-155.

Mirhosseini M, Baradaran A, Rafieian-Kopaei M. *Anethum graveolens* and hyperlipidemia, A randomized clinical trial. *J Res Med Sci*, 19, 2014, 758-61

Moghaddam HS, Samarghandian S, Farkhondeh T. Effect of bisphenol A on blood glucose, lipid profile and oxidative stress indices in adult male mice, 25(7), 2015, 507-13.

Mohammadian A, Moradkhani S, Ataie S, Antioxidative and hepatoprotective effects of hydroalcoholic extract of *Artemisia absinthium* L. in rat. *J HerbMed Pharmacol*, 5(1), 2016, 29-32.

Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. A review of the most important medicinal plants effective on cough in children and adults. *Der Pharm Lettre*, 8(1), 2016, 90-96.

Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. Iran's medicinal plants effective on fever in children, A review. *Der Pharm Lettre*, 8(1), 2016, 129-134.

Moken Y, Xianping D, Yaoshu T. Studies on the chemical constituents of common turmeric (*Curcuma longa*). *Zhongcoayoa*, 15, 1984, 197 - 8.

Moradi MT R-KM, Imani-Rastabi Rabiei Z, Alibabaei Z. Antispasmodic effects of yarrow (*Achillea millefolium* L.) extract in the isolated ileum of rat. *Afr J Tradit Complement Altern Med*, 10(6), 2013, 499-503.

Nadia Gad and Abdel-Moez, M. R, Effect of cobalt on growth and yield of fenugreek plants, *International Journal of ChemTech Research*, 8(11), 2015, 85-92.

Nasri H, Nematbakhsh M, Ghobadi S, Ansari R, Shahinfard N, Rafieian-Kopaei M. Preventive and curative effects of ginger extract against histopathologic changes of gentamicin-induced tubular toxicity in rats. *International Journal of Preventive Medicine*, 4(3), 2013, 316-21.

Nasri H, Rafieian-Kopaei M. Tubular kidney protection by antioxidants. *Iranian J Publ Health*, 42(10), 2013, 1194-1196

Nasri H, Rafieian-Kopaei M. Medicinal plants and antioxidants, Why they are not always beneficial? *Iranian Journal of Public Health*, 43(2), 2014, 255-257.

Nasri H, Rafieian-Kopaei M. Oxidative stress and aging prevention. *Int J Prev Med*, 4(9), 2013, 1101-1102.

Nasri H, Rafieian-Kopaei M. Protective effects of herbal antioxidants on diabetic kidney disease. *J Res Med Sci*, 19(1), 2014, 82-3.

Nasri H, Rafieian-Kopaei M. Tubular kidney protection by antioxidants. *Iran J Public Health*, 42(10), 2013, 1194-1196.

Nasri H, Shahinfard N, Rafieian M, Rafieian S, Shirzad M, Rafieian-kopaei M. Turmeric, A spice with multifunctional medicinal properties. *J Herbmed Pharmacol*, 3(1), 2014, 5-8.

Nasri H, Shabnam Hajian Sh, Ahmadi A, Baradaran A, Kohi G, Nasri P, Rafieian-Kopaei M. Ameliorative Effect of Green Tea Against Contrast-induced Renal Tubular Cell Injury, Iran J KID DIS, 9, 2015, 421-6.

Nasri H, Shirzad H, Baradaran A. Rafieian-kopaei M. Antioxidant plants and diabetes mellitus. J Res Med Sci, 20, 2015, 491-50

Nishiyama T, Mae T, Kishida H, Tsukagawa M, Mimaki Y, Kuroda M, Sashida Y, Takahashi K, Kawada T, Nakagawa K, Kitahara M. Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. J. Agric. Food Chem, 53(4), 2005, 959 - 63.

Parsaei P, Bahmani M, Karimi M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of analgesic medicinal plants in Iran. Der Pharm Lettre, 8(2), 2016, 43-51.

Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Tajeddini P, Sepehri-Boroujeni M. Identification of medicinal plants effective on common cold, An ethnobotanical study of Shiraz, South Iran. Der Pharm Lettre, 8(2), 2016, 90-97.

Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. The most important medicinal plants effective on constipation by the ethnobotanical documents in Iran, A review. Der Pharm Lettre, 8(2), 2016, 188-94.

Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Boroujeni S. Shigellosis phytotherapy, A review of the most important native medicinal plants in Iran effective on Shigella. Der Pharm Lettre, 8(2), 2016, 249-55.

Parsaei P, Karimi M, Asadi SY, Rafieian-Kopaei M. Bioactive components and preventive effect of green tea (*Camellia sinensis*) extract on postlaparotomy intra-abdominal adhesion in rats. Int J Surg. 2013.

Piper JT, Singhal SS, Salameh MS, Torman RT, Awasthi YC, Awasthi S. Mechanisms of anticarcinogenic properties of curcumin, the effect of curcumin on glutathione linked detoxification enzymes in rat liver. Int. J. Biochem. Cell Biol, 30, 1998, 445 - 56.

Prasad S, Aggarwal BB, Benzie IFF, Wachtel-Galor S. Benzie IFF. Turmeric, the Golden Spice, From Traditional Medicine to Modern Medicine, In, Wachtel-Galor S. ed. Herbal Medicine, Biomolecular and Clinical Aspects, chap. 13. 2nd edition. CRC Press, Boca Raton (FL) 2000.

Priyadarsini KI. The chemistry of curcumin, from extraction to therapeutic agent,. Molecules, 19(12), 2014, 20091–112.

Prucksunand C, Indrasukhsri B, Leethochawalit M, Hungspreugs K. Effect of the long turmeric (*Curcuma longa* L.) on healing peptic ulcer, A preliminary report of 10 case studies. Thai J. of Pharmacol, 8, 1986, 139 – 51.

Quiles JL, Aguilera C, Mesa MD, Ramirez-Tortosa MC, Baro L, Gil A. An ethanolic-aqueous extract of *Curcuma longa* decreases the susceptibility of liver microsomes and mitochondria to lipid peroxidation in atherosclerotic rabbits. Biofactors, 8(1-2), 1998, 51– 7.

Rabiei Z, Hojjati M, Rafieian-Kopaei M, Alibabaei Z. Effect of *Cyperus rotundus* tubers ethanolic extract on learning and memory in animal model of Alzheimer. Biomedicine & Aging Pathology, 3(4), 2013, 185-91.

Rabiei Z, Rafieian M. Effects of *Zizyphus jujuba* Extract on Motor Coordination Impairment Induced by Bilateral Electric Lesions of the Nucleus Basalis of Meynert in Rat. Physiology and Pharmacology, 17(4), 2014, 469-77.

Rabiei Z, Rafieian-kopaei M, Heidarian E, Saghaei E, Mokhtari S. Effects of *Zizyphus jujube* extract on memory and learning impairment induced by bilateral electric lesions of the nucleus basalis of Meynert in rat. Neurochemical research, 39(2), 2014, 353-60.

Rabiei Z, Rafieian-Kopaei M, Mokhtari S, Alibabaei Z, Shahrani M. The effect of pretreatment with different doses of *Lavandula officinalis* ethanolic extract on memory, learning and nociception. Biomedicine & Aging Pathology, 4(1), 2014, 71-6.

Rabiei Z, Rafieian-Kopaei M. Neuroprotective effect of pretreatment with *Lavandula officinalis* ethanolic extract on blood-brain barrier permeability in a rat stroke model. Asian Pacific Journal of Tropical Medicine, 7, 2014, S421-S6.

Rafieian-Kopaei M, Asgary S, Adelnia A, Setorki M, Khazaei M, Kazemi S, Shamsi F. The effects of cornelian cherry on atherosclerosis and atherogenic factors in hypercholesterolemic rabbits. J Med Plants Res, 5(13), 2011, 2670-2676.

Rafieian-Kopaei M, Baradaran A, Rafieian M. Oxidative stress and the paradoxical effects of antioxidants. *J Res Med Sci*, 18(7), 2013, 628.

Rafieian-kopaei M, Keshvari M, Asgary S, Salimi M, Heidarian E. Potential role of a nutraceutical spice (*Allium hirtifolium*) in reduction of atherosclerotic plaques. *J Herbmec Pharmacol*, 2(2), 2013, 23-28.

Rafieian-Kopaei M, Nasri H. Re, Erythropoietin ameliorates oxidative stress and tissue injury following renal ischemia/reperfusion in rat kidney and lung. *Med Princ Pract*, 23(1), 2014, 95.

Rafieian-Kopaei M, Setorki M, Doudi M, Baradaran A, Nasri H. Atherosclerosis, Process, Indicators, Risk Factors and New Hopes. *Int J Prev Med*, 5, 2014, 927-46.

Rafieian-Kopaei M, Shahinfard N, Rouhi-Boroujeni H, Gharipour M, Darvishzadeh-Boroujeni P. Effects of *Ferulago angulata* extract on serum lipids and lipid peroxidation. *Evidence-Based Complementary and Alternative Medicine*, Article ID 680856, 2014, 4

Rafieian-Kopaei M, Baradaran A. Plants antioxidants, From laboratory to clinic. *J Nephropathol*, 2(2), 2013, 152-153.

Rafieian-Kopaei M, Nasri H, Alizadeh F, Ataebi B, Baradaran A. Immunoglobulin A nephropathy and Malaria falciparum infection, a rare association. *Iranian J Pub Health*, 42(5), 2013, 529-533.

Rahimian G-A, Rabiei Z, Tahmasebi B, Rafieian-Kopaei M, Ganji F, Rahimian R. Comparing the Combined Effect of Garlic and Mint Extract with Metronidazole in *Helicobacter Pylori* Treatment. *Iranian Journal of Pharmaceutical Sciences*, 9(3), 2013, 63-70.

Rahnama S, Rabiei Z, Alibabaei Z, Mokhtari S, Rafieian-kopaei M, Deris F. Anti-amnesic activity of *Citrus aurantium* flowers extract against scopolamine-induced memory impairments in rats. *Neurological Sciences*, 36(4), 2015, 553-60.

Reddy AC, Lokesh BR. Effect of dietary turmeric (*Curcuma longa*) on iron-induced lipid peroxidation in the rat liver. *Food Chem. Toxicol*, 32, 1994, 279 - 83.

Ringman JM, Frautschy SA, Cole GM, Masterman DL, Cummings JL. A potential role of the curry spice curcumin in Alzheimer's disease. *Curr. Alzheimer Res*, 2, 2005, 131 - 136.

Roohafza H, Sarrafzadegan N, Sadeghi M, Rafieian-Kopaei M, Sajjadi F, Khosravi-Boroujeni H. The association between stress levels and food consumption among Iranian population. *Arch Iran Med*, 16(3), 2013, 145-8.

Saki K, Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Dehghan K, Bahmani F, Asadzadeh J. The most common native medicinal plants used for psychiatric and neurological disorders in Urmia city, northwest of Iran. *Asian Pac J Trop Dis*, 4(2), 2014, 895-901.

Saki K, Bahmani M, Rafieian-Kopaei M. The effect of most important medicinal plants on two important psychiatric disorders (anxiety and depression)-a review. *Asian Pac J Trop Med*, 7(1), 2014, 34-42.

Samarghandian S, Afshari JT, Davoodi S. Chrysin reduces proliferation and induces apoptosis in the human prostate cancer cell line pc-3. *Clinics (Sao Paulo)*, 66(6), 2011, 1073-9.

Samarghandian S, Asadi-Samani M, Farkhondeh T, Bahmani M. Assessment the effect of saffron ethanolic extract (*Crocus sativus* L.) on oxidative damages in aged male rat liver. *Der Pharm Lettre*, 8(3), 2016, 283-90.

Samarghandian S, Azimi-Nezhad M, Farkhondeh T. Preventive effect of carvacrol against oxidative damage in aged rat liver. *International Journal for Vitamin and Nutrition Research*, 2016.

Samarghandian S, Azimi-Nezhad M, Mehrad-Majd H, Mirhafez SR. Thymoquinone Ameliorates Acute Renal Failure in Gentamicin-Treated Adult Male Rats. *Pharmacology*, 96(3-4), 2015, 112-7.

Samarghandian S, Borji A, Afshari R, Delkhosh MB, gholami A. The effect of lead acetate on oxidative stress and antioxidant status in rat bronchoalveolar lavage fluid and lung tissue. *Toxicol Mech Methods*. 2013 Jul, 23(6), 432-6

Samarghandian S, Hadjzadeh MA, Amin Nya F, Davoodi S. Antihyperglycemic and antihyperlipidemic effects of guar gum on streptozotocin-induced diabetes in male rats. *Pharmacogn Mag*, 8(29), 2012, 65-72.

Samarghandian S, JT Afshari JT, Davoodi S. Modulation of programmed cell death by honey bee in human prostate adenocarcinoma. *Journal of Medicinal Plants Research*, 4, 2010, 2551-2556

Samarghandian S, Tavakkol Afshari J, Davoodi S. Suppression of pulmonary tumor promotion and induction of apoptosis by *Crocus sativus* L. extraction. *Appl Biochem Biotechnol*, 164(2), 2011, 238-47.

Samarghandian S, Afshari R, Farkhondeh T. Effect of long term treatment of morphine on enzymes, oxidative stress indices and antioxidant status in male rat liver. *Int J Clin Exp Med*. 2014, 15,7(5),1449-53.

Samarghandian S, Azimi-Nezhad M, Afshari R, Farkhondeh T, Karimnezhad F. Effects of buprenorphine on balance of oxidant/antioxidant system in the different ages of male rat liver. *J Pharm Biomed Sci*, 29(6), 2015, 249-53.

Samini F, Samarghandian S, Borji A, Mohammadi G, Bakaian M. Curcumin pretreatment attenuates brain lesion size and improves neurological function following traumatic brain injury in the rat. *Pharmacol Biochem Behav*, 110, 2013, 238-44.

Sarrafcchi A, Bahmani M, Shirzad H, Rafieian-Kopaei M. Oxidative stress and Parkinson's disease, New hopes in treatment with herbal antioxidants. *Curr Pharm Des*. 2016, 22(2), 238 – 246.

Satoskar RR, Shah Shenoy SG. Evaluation of anti-inflammatory property of curcumin (diferuloylmethane) in patient with postoperative inflammation. *International J. of Clinical Pharmacol. Therapy and Toxicol*, 24, 1986, 651 – 4.3.

Kohli K, Ali J, Ansari M, Raheman Z. Curcumin, a natural anti-inflammatory agent. *Indian J Pharmacol*, 37(3), 2005, 141-7.

Setorki M, Nazari B, Asgary S, Azadbakht L, Rafieian-Kopaei M. Antiatherosclerotic effects of verjuice on hypocholesterolemic rabbits. *Afr J Pharm Pharmacol*, 5(8), 2011, 1038-1045

Setorki M, Rafieian-Kopaei M, Merikhi A, Heidarian E, Shahinfard N, Ansari R, Nasri H, Esmael N, Baradaran A. Suppressive impact of anethum graveolens consumption on biochemical risk factors of atherosclerosis in hypercholesterolemic rabbits. *Int J Prev Med*, 4(8), 2013, 889-95.

Sewell RDE, Rafieian-Kopaei M. The history and ups and downs of herbal medicine usage. *J HerbMed Pharmacol*, 3(1), 2014, 1-3.

Sharafati R, Sharafati F, Rafieian-kopaei M. Biological characterization of Iranian walnut (*Juglans regia*) leaves. *Turk J Biol*, 2011, 635-9.

Sharma RA, Gescher AJ, Steward WP. Curcumin, the story so far. *Eur. J. Cancer* 2005, 41, 1955 - 68.

Shayganni E, Bahmani M, Asgary S, Rafieian-Kopaei M. Inflammation and cardiovascular disease, Management by medicinal plants, *Phytomedicine*, 2015.

Samarghandian S, Shabestari MM, Jabbari F, Farkhondeh F, Bafandeh F. Effect of chronic exposure to cadmium on serum lipid, lipoprotein and oxidative stress indices in male rats. *Interdiscip Toxicol*, 8(3), 2015, 101–104.

Soni KB, Kuttan R. Effect of oral curcumin administration on serum peroxides and cholesterol levels in human volunteers. *Indian J. Physiol. Pharmacol*, 36(4), 1992, 273 - 5.

Soni KB, Lahiri M, Chackradeo P, Bhide SV, Kuttan R. Protective effect of food additives on aflatoxin-induced mutagenicity and hepatocarcinogenicity. *Cancer Lett*, 115, 1997, 129 - 33.

Soni KB, Rajan A, Kuttan R. Reversal of aflatoxin induced liver damage by turmeric and curcumin. *Cancer Lett*, 66, 1992, 115 - 21.

Teiten MH, Gaascht F, Eifes S, Dicato M, Diederich M. Chemopreventive potential of curcumin in prostate cancer. *Genes Nutr*, 6, 2009.

Thamlikitkul V, Bunyapraphatsara N, Dechatiwongse T, Theerapong S, Chantrakul C, Thanaveerasuwan T, Nimitnon S, Boonroj P, Punkrut W, Gingsungneon V. Randomized double blind study of *Curcuma domestica* Val. *Fordyspepsia. J. of the Medical Association of Thailand*, 72, 1989, 613 – 20.

Turmeric processing. Kerala Agricultural University, Kerala, India. 2013. Retrieved 10 October, 2015.

Yasser A.A, El-Nomeary R.I, El-Kady and A.A, El-Shahat (2015), Effect of Some Medicinal Plant Seed Meals Supplementation and their Effects on the Productive Performance of Male Rabbits, *International Journal of ChemTech Research*, 8(6), 2015, 401-411.